

Bradford County Building, Zoning & Planning 945-F North Temple Ave.

Starke, FL 32091 Phone: 904-966-6223 Fax: 904-966-6220



MOBILE HOME PERMIT INFORMATION

- 1. You MUST PROVIDE a parcel number (this number identifies the property in which the Mobile home will be placed.) This can be found on your tax bill or the Property Appraisers website.
- 2. <u>The Zoning Department</u> will issue the zoning certification and Flood Zone Designation Map (\$25 each) on the property.
- 3. If not connected to municipal water and sewer, a septic tank permit must be obtained from the **Bradford Ctny Environmental Health Department**, (904)-964-7732. The Health Department MUST initial by "Septic Number" on application form before permit will be issued.
- 4. If you are not the property owner, then you must have a notarized letter of authorization from the property owner authorizing you to place the mobile home on their property. (see attached affidavit.)
- 5. Road Department <u>MUST</u> initial by "Culvert Number" on application form before permit will be issued. Road Dept: (904) 966-6243.

6. DOCUMENTS REQUIRED IN ORDER TO BE ISSUED A MOVE-ON PERMIT:

- Completed Mobile Home Application.
- Completed Mobile home affidavit & installation worksheet. Including blocking diagram
- Survey showing flood zone verification and site plan-showing setbacks from property line.
- Warranty deed.
- Must have a 911/site address at time of permitting (Address must be posted with 4in. #'s that contrast from their background. 911/Site Addressing (904)-966-6179
- The permit fee is \$150.00 (Singlewide) \$250.00 (Doublewide)\$100.00 fee for each section thereafter.
- If in a Flood Zone A or AE, a Floodplain Development Permit Application will need to be submitted with construction application.
- A complete packet must be submitted for review by Bradford County prior to issuance of permit.
- 6. For new electrical service, or transfer of electrical service you must submit an application to your POWER SERVICE PROVIDER: FPL: 1-800-462-0561 CLAY ELECTRIC: 352-473-8000 EXT 356
- 7. Installer's decal must be on home at time of inspection and step(s) with handrails at all doors.

THERE WILL BE 1 FINAL INSPECTION; IF CERTIFICATE OF OCCUPANCY IS REQUIRED, THERE WILL NEED TO BE A SKIRTING INSPECTION. ALL MOBILE HOMES SHOULD BE SKIRTED.



PERMIT APPLICATION BRADFORD COUNTY, FLORIDA

PERMIT #		PERMIT TY	PE: (circle approp	riate)
PARCEL#				
	Other _			
PROPERTY OWNER				
		Contractor Pho	ne:	
PHONE #:				Admin Review: Y/N
Cell:				
911/SITE ADDRESS:		_ Septic #:(see He	alth Dept)	
		Culvert #:(See F	Road Dept)	
Total Sq Ft	Est Cost:	Power C	company:	
Direction to Job (if new cor	nstruction)			
commenced prior to the issue	obtain a permit to do the work a ance of a permit and that all wor on. I understand that a separate	k will be performed to me	et the standards of	f all laws regulating
• • • • • • • • • • • • • • • • • • • •			d +	من معمله مط النب باسميي
	<u>:</u> I certify that all the foregoing ir le laws regulating construction, c	-		
and completion of the constr		ontractor licensing and 20	ming. I am respons	ible for the supervision
and completion of the constr	uction.			
Printed Name:		Date:		
Owner/Builder Sig:				
	d before me thisday	of 20		
	oduced ID, type of ID			
	OFFICE USE ONLY PLAN	INING/ZONING INFOR	<u>RMATION</u>	
Parcel #:	Land Use/Zon	ning Classification:		
Minimum Lot Size:	Lot Width:		Set Bac	ks: Front
William 200 5/20				Rear:
FEMA Flood Zone:	BFE:		2.00	
Reviewed By:	Date:			



ADMINISTRATIVE REVIEW CHECK LIST NA (Not Applicable) P (Provided) WP (Will Provide) TBD (To Be Determined)

Application Complete	Notice of Comm Owner/ Builder Affidavit
Eng. drawings of truss deta	ils x2 (seal)Wind Load Calcu.x2Licensed Contractor
Energy Forms & EPA Disp.	CardsSurvey with flood zone & site plan
Sub-Contractor(s) & Notari	zedProduct App. FormPower of Attorney
911 address	Plans 2-3 sets (raised seal/stamp of Arch. or Eng)
DCA Letter of Manufacture	Warranty DeedFloodplain permit (if in A/AE)
	Building Official Plan Review Information
Items Missing or Not Correc	t:
Face.	
Fire Inspection	\$ Mochanical TOTAL:
•	\$Mechanical TOTAL: \$ Plumbing Paid By:
- 	·
\$Zoning \$ Flood	\$Building Check/Cash/CC: Check # \$ Extra Copies Date:
•	
\$Electrical	\$Other Received By:

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statues Section 320.8249 Mobile Home Installers License:

Any person who engages in Mobile Home installation shall obtain a Mobile Home installer's license from the bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each Licensee shall pay a fee of \$150.

I, license number Please Print Name				
I do hereby state that the installation of the manufactured home located at				
	wil	l be done under my supervision.		
Signature:	Phone #:			
Sworn to and subscribed before me this	day of	A.D. 20		
Notary				
ELECTRICAL C	ONTRACTO	R AFFIDAVIT		
All Electrical Contractors must have current lice	ense and Insurance	e with this office prior to issuance of permit.		
Company Name:				
Contract Value:	_			
Signature:	_ Phone #:			
Sworn to and subscribed before me this	day of	A.D. 20		

Notary

INSTRUCTIONS: FILL OUT THIS FORM WHEN A MOBILE HOME IS BEING PLACED ON PROPERTY NOT OWNED BY THE MOBILE HOME OWNER, I.E., RENTAL PROPERTY.

TO:	BRADFORD COUNTY BUILDING I	DEPARTMEN	<u>NT</u>	
DATE:				
I,				do hereby authorize
	(Property Owner's Name)			
	(Occupant's Name)	_ to place the l	nerein described	mobile home on my property.
Parcel Nu	ımber:	Sec	, Tsp	, Rng.
Descriptio	n of Mobile Home: Make:		Model:	
Year:	Size: Ser	rial Number:		
	BRADFORD COUNTY LAND DEVELOPN BILE HOME BEING PLACED ON MY PI	ROPERTY.		
	OF FLORIDA Y OF BRADFORD	Prop	erty Owner's Sig	gnature
The forego	ping instrument was acknowledged before me t	his	day of	20, by
		Pers	onally Known, _	Identification Produced.
			Notar	ry Public-State of Florida

SEAL:

Designate location of all lateral arms and longitudinal stabilizing devices on the blocking plan.

Dio drive or Diore	Lateral Arm
Blocking Plan typical single wide blocking plan	
Manufacturer	[]
Length x width	Longitudinal Stabilizing Devices
←→	
pier spacing Poc	ket Penetrometer Test
	neter of the home at 6 locations.
Take the rea	ding at the depth of the footer.
Pocket Penetrometer test results Using 500lb inc	crements, take the lowest reading and down to that increment.
Soil torque probe test results	au down to that may make
Anchor Length	
-beam pier pad size Perimeter pier pad size	
erimeter pier pad size	
24	
Other information	

Designate location of all lateral arms and longitudinal stabilizing devices on the blocking plan.

		Lateral Arm
Blocking Plan	 e wide blocking plan	
Length x width Manufacturer		Longitudinal Stabilizing Devices
		Marriage Wall the location of
		these piers will vary with each floor plan.
2' pier spacing	Pocket Penetrometer Test the perimeter of the home Take the reading at the depth Using 500lb increments, take th and round down to that i	e at 6 locations. In of the footer. It is a second control of the footer. It is a second control of the footer.
Soil BearingSoil torque probe test resultsAnchor LengthI-beam pier pad sizePerimeter pier pad sizeMarriage wall pier pad sizes -	 ations on the centerline and show	sizes below

Permit Application Manufactured Home Installation	1	Page 1
Permit #		
Applicant	Name of Licensed Install	ler
Address	License #	
	Installation Docal #	
Manufacturer's Name	Wind Zone New hom	ne Used home
Number of Sections Width Leng		
Installation standard used: (check one) manufacture		
<u>St∕_</u> E PREPARATION:		
Site Graded and fill dirt compacted to 90%		Page
<u>Drain</u> tile and sump pump to be installed		Page
Describe any other site prep method to be used		-
Organic material removed		Page
Site graded or prepared for adequate drainage		Page
A vapor bather is required for new homes		Page
I understand that a poorly prepared site can cause of		
and mildew to form in the home. Installer's initials		
EQUINDATION.		
FOUNDATION:		Door
Load bearing soil capacity (psf) or as		Page
Footing type: plastic pad, 16 x 16 concrete to the property of the prope		
I-beam piers: 0/C spacing'sFoundati		
Perimeter piers: locations		
Centerline pier locations Centerline piers: Number Foote	r cizos	Page
Centerine piers: Number Foote	r sizes	Page
Special pier blocking: fireplace, bay windows, tub	s shear walls etc. Ves No	 Page
special pier blocking. Ineplace, buy windows, tub	5, shear wans, etc, 1 cs1 to _	rage
TIE-DOWNS:		
Torque probe reading Declared 5 ft. a	anchors	Page
I understand a torque probe test can only be perfor		
Installer's initials		
Anchor type: 4 ft5ft		Page
Number of frame ties: Spacing	Angle of strap degre	ees Page
Number of vertical ties:		Page
Number of centerline anchors		<u>-</u>
Longitudinal straps/anchorsor longitud	inal stabilizing devices	Page
Manufacturer of longitudinal stabilizing devices		
Manufacturer of lateral arm systems (if used)		
A State approved lateral arm system is being used		
home's installation manual and the lateral arm ma		
anchors are required at all centerline tie points		
less and where the mobile home manufacturer ma		
capacity. Installer's initials	-	<u> </u>

Permit Appli	ication. Manufa	ctured Home Installation	— sample	Page 2
CLOSE UP:				
condensation or no gasket	n, mold, mildev being installed	v and buckled marriage w . I understand a strip of ta	nent of all new and used homes valls can be a result of a poorly ape will not serve as a gasket.	installed Page
Fasteners are	e required to sec	cure multi-sections of hor	mes together (roof, sidewalls, fl	oor)
Fasteners:	Roofs Endwalls Floors	Type and size Type and size Type and size		Page Page
wire. Instille are to be ins	ers are not allov		ne home this includes the bondi power to the home. Access pan	_
existing, sev Connect the	wer tap or septice e potable water	tank tank	connect all sewer drains to an ter meter, water tap or other - nstalled.	Page
Bottom boa Vinyl siding Soffit and fa Roof close Manufactur Rule 15C-1	requires the co and repair g acia up: Check the over's installation	manual30 gauge, 8" wide, galvar	f the home. nized metal strip centered over the ter on both sides of the centerling.	
Chimney: Install extra	a length flue pip	e, <u>install</u> and seal storm c	ollar, chimney cap	Page
1 sq 1 sq	entilation is requ quare foot for ev	nired: (check one) ery 150 square feet of hor	No me (with no vapor barrier) uggested with vapor barrier)	Page Page

INSTRUCTIONS: FILL OUT THIS FORM WHEN A MOBILE HOME IS BEING PLACED ON PROPERTY NOT OWNED BY THE MOBILE HOME OWNER, I.E., RENTAL PROPERTY.

TO:	BRADFORD COUNTY BUILDING I	<u>EPARTMI</u>	ENT_	
DATE:				
I.				do hereby authorize
,	(Property Owner's Name)			
	(Occupant's Name)	_to place t	he herein described	I mobile home on my property.
Parcel Num	ber:	Sec	, Tsp	, Rng.
Description	of Mobile Home: Make:		Model:	
Year:	Size: Ser	ial Number		
	NG PLACED ON MY PROPERTY.			
STATE OF	FLORIDA OF BRADFORD	P	roperty Owner's S	ignature
The foregoin	ng instrument was acknowledged before me thi	s	day of	
		P	ersonally Known,	Identification Produced.
			Nota	ary Public-State of Florida
				SEAL:



BRADFORD COUNTY MOBILE HOME ELECTRICAL COMPLETION AFFIDAVIT


l,	affirm t	hat the electrical service installed at		
ELECTRICIANS NAME OR NAME OF DESIGNEE				
	for			
911/SITE ADDRESS		OWNERS NAME		
has been completed to the best of my kn edition of the National Electric Code and	•			
PRINTED NAME OF CONTRACTOR	DATE	CONTRACTOR SIGNATURE		
CONTRACTOR STATE LICENSE #	 PERMIT #	DATE OF COMPLETION		

***MUST BE COMPLETED BY THE ELECTRICIAN AND PLACED WITH THE PERMIT BY THE FINAL INSPECTION.

TYPICAL OVERHEAD TEMPORARY SERVICE


Notes:

- Pole shall be approved pressure treated with a minimum top circumference of 15" and a minimum length of 20 feet or as required to obtain required ground clearance. Consult CEC District Engineering for pole length requirement. Minimum Ground Clearance of service wire, including drip loop, over all driveways and other areas traversed by vehicles: 16' -0".
 - Minimum Ground Clearance of service wire, including drip loop, over areas for pedestrians only: 12'-0".
- 2. If service length is 50 feet or greater, guying is required. Refer to Insert detail.
- 3. One 5/8" x 8' ground rod may be used if the measured resistance to ground is 25 ohms or less.
- 4. Local codes that may exceed these requirements shall apply.
- 5. Satellite dishes, area lights and other customer owned attachments shall be a minimum of 12" below the service drip loop. Clearance shall be measured to the highest point of attached object. The most current National Electrical Safety Code (NESC) requirements shall apply.



Service Conductors

200 amp services will be 4/0 aluminum or 2/0 copper with #6 or larger ground wire 150 amp services will be 2/0 aluminum or #1 copper with #6 or larger ground wire 100 amp services will be #2 aluminum or #4 copper with #6 or larger ground wire 60 amp temporary services will be # 6 copper with #8 or larger ground wire



NOTICE OF COMMENCEMENT			
RETURN TO:			
THIS INSTRUMENT PREPARED BY:			
PROPERTY APPRAISER'S PARCEL ID NUMBER:	SPACE ABOVE THIS LINE FOR RECORDING DATA		
STATE OF FLORIDA, COUNTY OF BRADFORD The undersigned hereby gives notice that improvements will section 713.13 of the Florida Statutes, the following informat	ll be made to certain real property, and in accordance with		
PARCEL ID NUMBER	·		
Street address of property:			
Description of improvements:			
Property Owner Name:			
Property Owner s Address:			
Owners Interest in property:			
Fee Simple Title Holder Name:			
Title Holder Address:			
Contractor Name:			
Contractor Mailing Address:			
Surety Name:			
Surety Mailing			
Address: Lender Name:			
Lender Mailing Address:			
Person within the State of Florida designated by 0 provided by Section 713.13 (1) (a) 7, Florida Statut Name: Address:	Owner upon which notices and other documents may be served as es.		
	e following person to receive a copy of the Lienor's Notice as es		
Address: Expiration date or Notice or Commencement (tne exp	iration date is 1 year from the date of recording		
Signature of Owner	Printed Signature of Owner		
Signature of Owner	I have relied on the following identification of the Affiant:		
APPLY NOTARY SEAL HERE	Thave relied on the following identification of the Amaric.		
	Sworn to and subscribed before me this		
	day of 20_ Notary Signature		
	Printed Notary Signature		